

AIRFX[®]

Air Suspensions



Front & Rear Air Ride Systems



Performance by Design



AIRFX KITS FOR

STOCK & RAKED BIKES

Protect your bags from road rash when cornering. With AirFX, adjust up on corners and drop it down for cruising. Ride height adjustments can be made on the fly even with 23" to 32" diameter front wheels. Larger front wheels with low profile tires provide little shock absorption. AirFX shocks react much faster than hydraulic shocks, providing a consistently smooth ride. AirFX purpose built shocks ensure total riders confidence and safety in their suspension.

FRONT AIR RIDE

AirFX Front Air Ride Kits make it easy to upgrade your factory fork assemblies. These replacement style cartridges are a perfect fit, without any modifications required. Each cartridge has two chambers for lift, and one for rebound in axial alignment. This increases piston surface area, reducing the air pressure required to lift the bike. The result is a much smoother/consistent ride and increased handling performance. Each AirFX suspension kit is model specific for a custom fit to your bike.



REAR AIR RIDE

AirFX Rear Air Ride Kits are specifically designed to fit all mono shock rear suspensions. Now you can get even greater control in cornering, with less feedback from the road. Each shock has two air chambers for lift and one for rebound, in axial alignment. The dual piston design increases the piston surface area, reducing the air pressure required to lift the bike. Additionally, a spherical bearing is used on the main pivot point to eliminate side loading and minimize pivot friction. Rebound is set by adding air to the remote mounted Schrader valve. These design features provide a much smoother ride, increased handling performance, and greater durability, while maintaining a shock body size equal to stock.

800.210.1454

FRONT REPLACEMENT CARTRIDGES



AirFX Front Air Ride cartridge pair for Victory motorcycle applications FXAVK-2017
AirFX Front Air Ride Kits make it easy to upgrade your factory internal fork assemblies. These replacement style cartridges are a perfect fit without modification to your bike.

Bagger and Cruiser Air Ride Kits Now in Stock!

REAR AIR RIDE



AirFX Rear Air Ride mono shock with hard coat anodized black finish inside and out FXAVK-2007G, FXAVV-2007GA

No rear frame or shock modification required. Now you can fine tune your suspension for extreme cornering and braking and quickly adjust back to a comfortable cruising mode. Experience fast responsive, grip and true performance all in a package not any larger than your stock shock.

COMPRESSORS



Standard Flow FXAK-2001

The Standard compressor comes with a Omega style mounting bracket. Insulated wiring is pre-installed. Compressors are equipped with a thermal overload protector that will shut down the unit when overheated. When cool, the compressor will automatically restart as normal.



Hi-Flow Chrome Plated FXAK-2000

The Hi-Flow compressor comes standard with a chrome motor housing, chrome end plates, and Omega style mounting bracket. Insulated wiring is pre-installed. Compressors are equipped with a thermal overload protector that will shut down the unit when overheated. When cool, the compressor will automatically restart as normal.

INSTANT-UP KITS



Single Tank Kit FXAK-2012-1

Single tank, instantly adjust ride height from rest to ready in less than 1 second. Pre-wired, assembled, and tested.



Dual Tank Kit FXAK-2012-2

Dual tank, instantly adjust ride height from rest to ready in less than 1 second. Pre-wired, assembled, and tested.

SWITCHES



3 Position Toggle Switch & Wiring Harness FXA-1010-1

Three position toggle switch with protective black boot, used to adjust the air ride height. Wire harness included. High impact, heat resistant controls are pre-wired with a marine grade resin



Micro Button Switch & Wiring Harness FXA-1010MB-1

The micro button package consists of a pair of miniature snap acting stainless steel buttons potted in a small aluminum housing. Wires simply connect to your existing fused power circuit.

REMOTE CONTROL



Remote Control FXA-2013

The package is pre-wired to plug directly into your existing toggle switch or micro button kit. This plug and play feature enables both the remote control and the toggle or buttons to operate the air ride up to 50ft away.

Front, Rear, and Complete Kits Now in Stock!

AirFXUSA.COM



Front and Rear Air Ride Kits for bikes with
23"-26" diameter front wheels



Engineered to fit the following
triple tree manufacturers:

Hawg Halters
HMD
Arlen Ness
VIC Baggers

Each kit is specifically designed to fit without modification.

For wheels 30"-32" diameter, please contact our factory consultants for fitment applications.

Visit us on-line or contact one of our factory consultants for your fitment and application.

800.210.1454

AIRFXUSA.com

AirFX air ride systems are designed and built in the USA. AirFX patented piston/cylinder technology delivers superior performance and reliability.

Rear Air Ride Monoshock PATENT 11,530,900. Front Air ride PATENT 8,316,978, PATENT 8,636,097, PATENT PENDING 14/165,476.

© 2015 All Rights Reserved. Any printing or unauthorized use without written permission of AirFX USA LLC, is expressly prohibited. Images courtesy of Voodoo Industries.
Designed & printed by: www.BigFishDPI.com 888.545.2570

